ADSS 48-core optical cable specifications and models

Overview

12/24/48 Core ADSS Optical Fiber Cable Explore everything about ADSS fiber optic cables including the full form, core types (12/24/48 core), major brands.

Key Takeaways

48-core ADSS optical cables are all-dielectric, self-supporting aerial fiber optic cables designed for long-span outdoor installations, typically using single-mode fibers (G. 652D or G. 657A1) with loose tube construction and water-blocking features.

Key Specifications

Cable Structure: All-dielectric and self-supporting: No metallic components, safe for installation near high-voltage lines, capable of spanning 100–1000 meters between poles or towers. Loose tube design: Fibers are housed in gel-filled or dry tubes to protect against moisture and mechanical stress. Central strength member: Dielectric core provides tensile strength, often reinforced with aramid yarn for peripheral support.

Outer jacket: Polyethylene (PE) or track-resistant polyethylene (TRPE) for UV and environmental protection; some models offer double-jacket designs for long-span applications. Ripcords: Located under jacket layers for easy stripping during installation. Fiber Type and Count: 48 single-mode fibers per cable, typically G.

652D or G. 657A1, suitable for long-distance communication. Fibers are color-coded for easy identification and testing.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Performance and Testing: Optical testing: OTDR (Optical Time Domain Reflectometer) used to verify splice loss, fiber integrity, and locate faults. Standards compliance: IEEE-P1 222 for aerial installation, TIA/EIA-455, IEC-60794-1, and Telcordia GR-20 for outside plant cables. Span and Installation Conditions: Short-span cables: Up to 600 ft in NESC light conditions, 500 ft in medium, and 300 ft in heavy conditions.

Long-span applications: Double-jacket or reinforced designs recommended for spans exceeding 450 ft under NESC light conditions. Suitable for outdoor aerial installation on poles, between buildings, or industrial structures; can also be used indoors in cable trays.

Available Models and Variants

Corning SOLO® ADSS 48-core: Short-span, single-jacket, loose tube design, TRPE jacket for up to 25 kV electric field potential. Zion Communication 48-core ADSS: Standard all-dielectric, self-supporting, loose tube with gel or dry filler, suitable for spans up to 1000 m.

JER

A Fiber 48-core ADSS: Designed for FTTX aerial lines, supports outdoor and indoor installations, tested with OTDR for quality assurance. BuyAWG ADSS-48: Features aramid yarn reinforcement, water-swelling tape, and optional double-jacket for long-span applications; supports 32–144 fiber variants in ADSC design. These cables are widely used by telecom operators, municipalities, and power utilities for rapid deployment along aerial rights-of-way, providing reliable, long-term performance in harsh outdoor environments.

Summary: 48-core ADSS cables combine high fiber density, self-supporting dielectric construction, loose tube protection, and water-blocking features, making them ideal for aerial fiber optic networks in both urban and industrial settings. Model selection depends on span length, environmental conditions, and installation requirements.

Article Content

12/24/48 Core ADSS Optical Fiber Cable

Explore everything about ADSS fiber optic cables including the full form, core types (12/24/48 core), major brands, specifications, span length, sheath materials, and installation accessories.

Product Spec Sheet 048EAE-T4C01A20

The loose tube design provides stable performance over a wide temperature range and is compatible with any telecommunications-grade optical fiber. The cable design can span distances

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Product Spec Sheet 048EN4-T4S01A20

While the concentric, self-supporting cable design allows easy, one-step installation using standard hardware and installation methods, the SZ-stranded, loose tube design isolates

OPTICAL FIBER CABLE SPECIFICATION (ADSS-Span= 100m)

5. Optical Fiber Cable Characteristics 5.1 The Mechanical and Environmental Performance of the Cable ... 5.2 Installation Conditions

Item # ADSS-48, ADSS All Dielectric Self-Supporting Fiber Optic Cable

The ""All Dielectric Self-Supporting (ADSS)"" cables are designed for aerial self-supporting applications at short, medium and long span distances. ADSS cables offer a rapid and economical means for

ADSS Aerial Cable Specifications | PDF | Optical Fiber | Fibre ...

This document provides specifications for several models of all dielectric self-supporting aerial cable with varying fiber counts and maximum spans. The cables utilize loose tube construction with optical

48F Figure 8 ADSS Aerial Cable – PPC Broadband | Product Catalog

All Dielectric Self Supporting (ADSS), 1-48 fibers, outdoor, unique second coating and stranding technology. The 48F Figure 8 ADSS Aerial Cable is designed to ensure the fibers in the cable retain

48 Fiber Cable

As the leading world manufacturer of fiber optic cable, AFL is uniquely positioned to provide a full line of all-dielectric self-supporting (ADSS) aerial cables and Optical Ground Wire (OPGW) as well as

48 igre 8 ADSS erial Cale

Optical fiber cables supplied in compliance with this specification sheet are capable to withstand the typical service condition for a period of thirty (30) years without detriment to the operation

Fiber Optic Cable Specs: NYLUxxBA Model

The document provides detailed specifications and technical data for the NYLUxxBA fiber optic cable, which features 2 to 12 optical fibers with a central tube design, aramid yarn strength member, and

Gcabling GYXTC8S Fiber Optic Cable Mini Figure 8 Steel Armored

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Discover Gcabling GYXTC8S Fiber Optic Cable Mini Figure 8 Steel Armored Aerial Self-supporting (Model: 20304-029-1) . Engineered for high-speed connectivity and maximum durability in

Fiber Optic Cable Adss 12F 24F 48F 96F 60M 100M 120M Span Price

Fiber Optic Cable Adss 12F 24F 48F 96F 60M 100M 120M Span Price Each Km producing factory: We''re a state-level specialized and innovative "little giant" and high-tech enterprise, and has more

ADSS/OPGW Metal Junction Box

FOSC Metal Joint Junction Box For Pole and Tower ADSS/OPGW 12, 24, 48, up to 144 Cores Aerial Fiber Optic Cable Splice Closure, Contact Us for Details Now!

Necero Outdoor ADSS Single Mode Communication Fiber Optic Cable

Type Outdoor Fiber Optic Cable Place of Origin Guangdong, China Number of Conductors ≥ 10 Product name ADSS-PE outdoor fiber optical cable 24 core 48 core

SURELINK 24core 48core 72core 144core ADSS Single or Double

Key attributes Brand Name SURELINK Model Number fibra optica adss Type Fiber Optic Cable Place of Origin Guangdong, China Number of Conductors ≥ 10 Conductor Material no

OPGW Cable Specifications and Installation | PDF | Optical Fiber ...

OPGW Cable Specifications and Installation This document provides information on OPGW (Optical Ground Wire) cables. It discusses that OPGW cables serve the dual purpose of acting as both an

fiber jumper online shopping knowledge and exquisite pictures ...

Gyta/ts fiber optic cable: outdoor single-mode armored cable, 48-core adss fiber optic cable – your network speed booster! highly recommended by project managers!

Lists/subdomains2 at main · ArtesOscuras/Lists · GitHub

Multiple wordlist for pentesting purpose. Contribute to ArtesOscuras/Lists development by creating an account on GitHub.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved