Dimensions of Wall-Mounted Low-Voltage Power Distribution Box




Overview

For wall mounted, the flange is located on the external side of the enclosure, and there is a wall mounted slot on the back of the enclosure.

Key Takeaways

Low-voltage wall-mounted distribution boxes typically range from compact sizes around 300x300x150 mm to larger enclosures exceeding 1000x1000x200 mm, depending on capacity and application. Typical DimensionsWall-mounted low-voltage distribution boxes are designed to accommodate electrical components such as circuit breakers, busbars, and metering devices while ensuring safe and organized wiring. Common dimensions include: Compact enclosures: Approximately 300–500 mm width, 300–600 mm height, and 150–200 mm depth, suitable for small residential or light commercial installations.

Medium-sized enclosures: Around 500–800 mm width, 800–1000 mm height, and 150–200 mm depth, often used in larger residential or small industrial setups. Larger wall-mounted units: For higher capacity or modular systems, dimensions can reach 1000 mm width, 1000 mm height, and 200 mm depth or more, providing space for multiple breakers, busbars, and auxiliary equipment. For example, the BTicino SDX-L wall-mounted distribution board measures 515x1000x145 mm (width x height x depth), offering a practical balance between component capacity and wall space utilization.



© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Design Considerations

Internal layout: Components should be arranged to separate high- and low-voltage circuits, optimize airflow, and allow easy access for maintenance. Cable management: Multiple entry points, strain relief, and organized wiring pathways are essential to prevent congestion and ensure safety. Thermal management: Adequate spacing, vents, or cooling fans help prevent overheating of breakers and busbars.

Compliance: Enclosures must meet relevant standards such as IEC or local low-voltage directives, and often feature IP ratings (e.g., IP54) for dust and moisture protection. Future expansion: Selecting slightly larger enclosures allows for additional circuits or upgrades without replacing the box.

Summary

When selecting a low-voltage wall-mounted distribution box, consider the number of circuits, internal component size, wall space, and environmental conditions. Typical dimensions range from compact 300x300x150 mm units to larger 1000x1000x200 mm enclosures, with internal layouts designed for safety, accessibility, and thermal efficiency. Proper sizing ensures reliable operation, compliance with standards, and ease of maintenance.

Article Content

MNS® Low Voltage Distribution Board and Power Cabinet

For wall mounted, the flange is located on the external side of the enclosure, and there is a wall mounted slot on the back of the enclosure. For wall embedded, the flange is located on the internal side of the

Standard Electrical Enclosure Sizes: Chart, Dimensions

Electrical enclosure sizes are not universal, but most manufacturers follow common size families. This guide explains typical wall-mount and floor

Final Power Distribution Boxes | Product Catalog | CHINT Global

We offer a broad selection of models, configurations, and sizes to serve various applications, from residential and commercial buildings to industrial environments.

Power Distribution Catalogue

Wall mounted enclosures are ideal for small power distribution panels when internal segregation is not required. The wall mounted range allows for a variety of solutions depending on which components

PRL1X/2X/3X panelboard design guide

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

This DIN rail mounted, three-phase energy meter provides high accuracy in a small form factor. The user-friendly LCD display is ideal for building energy management, energy monitoring and metering

LOW-VOLTAGE POWER DISTRIBUTION ALPHA BSII 125 & 250A

Features Includes painted steel enclosure Contains 2 x PAC1600 energy meter Pre-wired with all necessary cabling for out-of the box installation to DBs Dual power tail connections provided Meter

Wall mounted switchboard with box and transparent door, 18 ...

Wall mounted switchboard with box and transparent door, 18 x DIN35 modules (300x450x150mm). Compliance with regulations IEC 60670-24, CEI 23-48, CEI 23-49, CEI 61439-3.

ABB I Sub distribution boards

Depending on your specific application, our range of sub distribution boards includes solutions with mounting plates and DIN-rails with generous wiring space on both sides and behind the DIN rails.

Wall-mounted electrical enclosure, Wall-mounted electrical box

Find your wall-mounted electrical enclosure easily amongst the 134 products from the leading brands (Legrand, MARECHAL, Wieland, ...) on DirectIndustry, the industry specialist for your professional

xEnergy Basic BP Low Voltage Power Distribution

The xEnergy Basic is a wall-mounted and floor-standing enclosure for electrical distribution up to 630 A. The smallest distribution board of our xEnergy family is the most flexible and variable system in the

Electrical Box Dimensions: Find the Right Size for Any

Learn standard electrical box dimensions for outlets, switches, and junction boxes. Compare sizes, depths, volume, and clearance for safe

Amazon : Power Distribution Box

Browse power distribution boxes with circuit breaker protection and multiple outlet configurations. Shop durable solutions for construction and emergency use.

Basics in low voltage distribution equipment

Low voltage distribution equipment typically operates at less than 600 volts; in contrast, medium voltage equipment affords a wider range of 600 to 38,000 volts. This paper provides a basic overview of the

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

xComfort Compact Distribution Boxes

KLV multimedia compact distribution boxes The current generation of the KLV series is now equipped with a pre-wired power strip with rotating inserts – in all 3 to 5-row multimedia distribution boards.

Amazon : Low Voltage Panel Box

Streamline your home wiring and media setup with low voltage panel boxes. Browse enclosures designed for easy installation and cooling of enclosed equipment.

xComfort KLV | Eaton

xComfort KLV is a flush and hollow-wall mounted compact distribution enclosure for residential and small commercial applications. In addition to an extensive range of 1- to 5-row energy distribution

Distribution Boards | Legrand DB Board for Safe Power

Legrand''s Distribution Boards deliver safe, reliable power distribution for homes, commercial spaces, and industrial applications, combining smart design, easy

Low Voltage Switchboards and Switchgear

400 and 600 ampere horizontally mounted feeder switches in 38-inch (965 mm) or 48-Inch (1219.2 mm) wide box. 400 and 600 ampere horizontally mounted main switches only in 44-inch (1117.6 mm) wide

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved