How much clearance should be provided for the distribution box



Overview

That box must stay completely clear—no shelves, pipes, or storage—so an electrician can work safely without risk of contact with live parts or losing footing. 26 defines a three-dimensional zone around equipment that must be kept clear. Let's break down each component. The required Depth of working space is perhaps the most nuanced part of the rule. It is not a single. How you use a junction box determines its clearance requirements. These requirements typically include: For. Front clearance: There should be a minimum of 3 feet of clearance at the front of all electrical equipment, including panelboards, switches, breakers, starters, transformers, etc. NFPA 70E, Standard for Electrical Safety in the Workplace, provides guidance in determining the severity of potential exposure, planning.

Article Content

NEC Working Clearance Requirements: A Visual Guide (110.26)

A visual guide to NEC 110.26 working space requirements. Understand the required depth, width, and height clearances for panels, switchgear, and transformers.

Junction Box Clearance Requirements: NEC 110.26 Guide

Learn junction box clearance requirements, when NEC 110.26 working space applies, and how to avoid inspection failures with a practical checklist and FAQs.

Safe Clearances for Electrical Equipment: Working Space and

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Side clearance: There should be a minimum of 30 inches of clearance from the sides of all electrical equipment, but in no case less than the width of the equipment itself. This is referred to

Latest Requirements for Distribution Box Installation under the US

Clearance zones - Maintain at least 36" depth, 30" width, and 78" height of clear working space Single point of entry - Dedicated entrance without obstruction saves crucial seconds during

Electrical Panel Clearance Code: NEC 110.26 For Homes And Garages

Keep the working space clear from the floor or grade up to 6 ft 6 in. (2.0 m) or the height of the panel—whichever is greater. Minor elements like conduit or raceways can project up to 6

Working Clearances, based on the 2020 NEC

When working in a passageway and live parts are exposed for inspection or servicing, the working space should be guarded from use by occupants. When working on electrical equipment in a

NEC Electrical Junction Box Rules – Complete Compliance Guide

These rules define when you must install a box, how large it must be, how you must install it, and how inspectors evaluate compliance. This guide breaks down the actual rules inspectors

Clearances: Working Space Depth.

Section 110.26 (A) (2) “Width of Working Space” requires the working space to be at least 30 inches in width or the width of the equipment whichever is greater. This section further requires that in all

NEC Requirements for Panelboards and Load Centers

Clearance: Electrical panels must be installed in a readily accessible area with a minimum clearance of 30 inches (762 mm) wide, 3 ft (36 inches or 914 mm) deep, and 6.5 feet (≈ 2 meter) high in front of

Introduction to electrical clearance in low-voltage distribution boxes ...

The electrical clearance between different bare conductive parts and their casing in low-voltage metal distribution boxes should be greater than 20mm. The electrical clearance between bare conductive

Safety Clearance Recommendations for Electrical Panel

Clearance Tables includes working space and clearance around indoor electrical panel, Circuit Board (NES 312.2), clearance for conductor entering

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

NEC + OSHA Electrical Panel Clearance Requirements

This NEC working clearance will provide not only the person working on the equipment with room, but also their tools. OSHA Electrical Panel Clearance Requirements One of the most

Electrical Panel Clearances | Requirements Explained!

The 2021 International Residential Code (IRC) requires electrical panels to have a clear working space to ensure safe operation and maintenance can be provided.

OSHA Electrical Panel Clearance Requirements: Guide

Minimum Clearance Distances for Electrical Panels OSHA and the National Electrical Code (NEC) specify the minimum clearance distances required around

Requirements And Specifications For Installation Of Distribution Boxes

In flammable and explosive environments, explosion-proof distribution boxes should be selected and explosion-proof treatment should be carried out. The installation of explosion-proof

How Much Clearance Is Required Around an Electrical Panel?

The electrical panel, often called the breaker box or load center, is the central distribution point for all electrical power entering a home. Because this equipment contains the main service disconnect and

Your Guide To NEC Electrical Panel Clearance Requirements

The National Electrical Code establishes electrical panel clearance requirements to ensure that the panel operates safely and has a clear space in front of it in case of an emergency.

NEC Essentials for Architects

Equipment “Clearances” The term “clearance” is commonly used throughout design and construction circles to refer to free space around electrical equipment. However, it is important to understand that

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved