
# LC dedicated cold splice



## Overview

46 kV-class inline splice for joining tape, longitudinally corrugated (LC), wire and UniShield® shielded power cables. It is a cold shrink design sized to fit Type MV-90 or Type MV-105 copper or aluminum conductor sizes ranging from 4/0 AWG - 1000 kcmil (120 - 500 mm2). This step-by-step tutorial shows you how to easily install an LC cold splice connector with professional results. However, 4/0 AWG and 250. 3M Cold Shrink Joints and Terminations use a series of Pre-stretched tubes, which are factory expanded and assembled onto a removable core. The core is removed after the tube is positioned for installation over an inline connection, or terminal lug, allowing the tube to shrink and provide a. 3M electrical splices feature cold shrink technology, which is engineered for easy installation by unwinding the inner core. Reduce the time, labor and cost that comes with electrical cable splicing. 3M Electrical Splices offer reliability and ease of use when tackling a wide range of installations. Our Raychem CSJA-1C In-Line Joint Cold Shrink for 1/C shielded cable from 15 kV to 35 kV, is designed to splice tape shield, wire shield, LC shield, UniShield, JCN and flat strap shielded cables.



© 2026 CJC FIBRE CONSULTANTS - All rights reserved

## Article Content

How to Install LC Cold Splice Connector (Step-by-Step) #shorts # ...

This step-by-step tutorial shows you how to easily install an LC cold splice connector with professional results. Perfect for FTTH projec...

10902-EMD_78-8127-6665-3_5545A_46_kV

46 kV-class inline splice for joining tape, longitudinally corrugated (LC), wire and UniShield® shielded power cables. It is a cold shrink design sized to fit Type MV-90 or Type MV-105 copper or aluminum

(5431)AMEND_MASTER dd

Provides environmental seal and mechanical protection, eliminates the requirements for heat during installation using 3M Cold Shrink technology. Each kit includes Cold Shrink End Cap, Coldshrink Pre

3M Cold Shrink Splices

3M electrical splices feature cold shrink technology, which is engineered for easy installation by unwinding the inner core. Reduce the time, labor and cost that

Inline Splice: Cold Shrink, 15-35 kV

Our Raychem CSJA-1C In-Line Joint Cold Shrink for 1/C shielded cable from 15 kV to 35 kV, is designed to splice tape shield, wire shield, LC shield, UniShield, JCN and flat strap shielded cables.

LC Splice-On Connector fo Reliable Connectivity | UCL Swift NA

The UCL Swift LC Splice-On Connector provides performance, convenient splice on functionality and a small footprint for high-densities.

LC, Single-Mode OS2, Field Installable Splice Connector

Field-Installable Connectors. The mechanical splicing method uses no epoxy or polishing, requires no special tools for assembly in the field, and offers reusable termination capability.

Lynx-CustomFit™ Splice-On Connectors

Widely recognized for their first-class performance, Lynx-CustomFit™ Splice-On Connectors can successfully mate with any standard connectors in an existing network and perform well for many

FuseLite® Connectors LC Single-mode (OS2) UPC

*© 2026 CJC FIBRE CONSULTANTS - All rights reserved*

The FuseLite® Splice-On Connector enables fast, reliable fusion splicing connectivity for local area networks and offers flexibility for repairs and restoration of connectivity.

Cold Shrink Cable Joints and Terminations | TE Connectivity

An “all-in-one” solution, this in-line offering is built for 1 core shielded power cables (15 - 35 kV) and is designed to splice tape shield, wire shield, LC shield, UniShield, JCN, and flat strap shielded cables.

3M™ Cold Shrink QS-III Inline Shielded Cable Splice Kits 5513A,

The 3M™ Cold Shrink QS-III Shielded Cable Splices 5513A, 5514A, 5515A and 5516A Series are 15 kV class inline splices for joining tape shield, wire shield, UniShield® or longitudinally corrugated (LC)

3M Cold Shrink Inline Joints for Low Voltage Polymeric Cables

3M™ Cold Shrink LC Series Joints have been designed for multi core Low Voltage Power – Cables up to and including 1.9/3.3kV. Also suitable for some multi pair cables – Designed for flexible or trailing

499LC-BL9 | FASTSPLICE Fiber Connectors | Leviton Network Solutions

499LC-BL9 Leviton''s FASTSPLICE Fusion Splice-On Fiber Connectors provide uncompromised optical and environmental performance in field installable LC, SC and ST connector types. They support the

10902-EMD_78-8127-6665-3_5545A_46_kV

3MTM Cold Shrink Inline Splice Kit QS-III 5545A is available to splice 46 kV tape, longitudinally corrugated (LC), wire and UniShield® shielded power cables. Standard dimension copper (Cu) or

Lynx-CustomFit™ Splice-On Connectors

Lynx-CustomFit™ Splice-On Connectors With SEL''s Lynx-CustomFit™ Splice-On Connectors, users can quickly and easily complete permanent field terminations without the excess slack, shorts, and

3M™ Cold Shrink Splice Kit QS-III Series 5545A, Longitudinally ...

3M™ 5545A Series Cold Shrink QS III Inline Splice Kit is specially designed to splice 46 kV tape, wire, LC and UniShield ® power cable. The kit contains 1 cold shrink splice body that has a specially

Cold Shrink Cable Joints and Terminations | TE

TE''s line of medium-voltage cold-shrink cable accessories is designed to provide a "holistic solution". This includes disconnectable splices, in-line splices, transition

*© 2026 CJC FIBRE CONSULTANTS - All rights reserved*

Cold Applied Splices | TTI, Inc.

Raychem / TE Connectivity Cold Applied Splices and Ring Tung Terminals offer high-performance sealing for harsh environments without heat during installation. The Raychem cold-applied splices

## Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved