# Modification of DC busbar




## Overview

Busbar Design for High-Power DC Systems Busbars replace chaotic cable stacking, ensuring symmetrical current paths. Learn how to size busbars based on curr.

## Key Takeaways

Modifying a DC busbar involves adjusting its material, cross-section, layout, and insulation to optimize current distribution, thermal performance, and electromagnetic behavior. Key Considerations for Busbar Modification1.

### Material and Cross-

Section The choice of material—typically copper, aluminum, or copper alloys—affects conductivity, mechanical strength, and thermal performance. For high-current applications, the busbar cross-sectional area should meet the required current density, typically 1. 5–2.

5 A/mm² for continuous duty in enclosed environments. For example, a 300 A continuous load at 2 A/mm² requires a minimum cross-section of 150 mm². Modifying the busbar may involve increasing thickness or width to handle higher currents or reduce voltage drop.

2. Layout and Symmetry Busbars enforce current symmetry, preventing imbalances that occur with parallel cables of unequal resistance. Modifications may include redesigning the busbar geometry to reduce path length differences, adding parallel conductors, or using laminated structures to minimize stray inductance and improve high-frequency performance.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

3. Thermal Management Busbars can act as heat sinks. Modifications may involve changing orientation, adding ventilation, or integrating thermal vias in PCB busbars to dissipate heat effectively.

Ensuring adequate airflow and considering low-profile designs can prevent overheating in high-power systems. 4. Insulation and Plating Insulation materials (e.g., Nomex®, Kapton®, Mylar®) and plating (tin, nickel, silver, or gold) influence electrical performance and reliability.

Modifying a busbar may require upgrading insulation thickness or changing plating to reduce contact resistance and improve durability. 5.

## Electromagnetic Effects High-current D

C busbars can generate significant magnetic fields, eddy currents, and proximity effects. Modifications may include using laminated or PCB busbars to reduce loop inductance, minimize parasitic capacitance, and improve high-frequency current handling, especially in SiC or GaN converter applications. Simulation tools like EMWorks2D can help evaluate these effects before physical modification.

6. Terminations and Mechanical Integration Changes in busbar terminations, such as studs, tabs, or threaded inserts, may require adjustments in thickness or reinforcement to maintain mechanical integrity. Ensuring proper grounding and interleaved ground planes can also enhance shielding and reduce EMI.

## Practical Steps for Modification

Assess current requirements and calculate the necessary cross-sectional area. Select appropriate material and plating for conductivity and durability. Redesign geometry to minimize resistance, inductance, and thermal hotspots.

Upgrade insulation to handle voltage and environmental conditions. Simulate electromagnetic behavior to verify performance under high-current conditions. Implement mechanical supports and proper terminations for structural stability.

By carefully considering these factors, a DC busbar can be modified to handle higher currents, improve efficiency, reduce losses, and maintain reliability in high-power systems.

*© 2026 CJC FIBRE CONSULTANTS - All rights reserved*

## Article Content

Busbar Design for High-Power DC Systems

Busbars replace chaotic cable stacking, ensuring symmetrical current paths. Learn how to size busbars based on current density, choose

Design of DC transmission busbar connection of CRAFT

This paper presents a simple method for estimating the contact temperature of the DC busbar based on the combination of heat transfer theory and ANSYS thermoelectric coupling module.

Busbar Design for High-Power SiC Converters

Busbars are critical components that connect high-current and high-voltage subcomponents in high-power converters. This paper reviews the latest

Comprehensive design of DC busbars for medium voltage applications

This paper compares an analytical calculation of a simplified DC busbar of a test bench with a PEEC simulation and the measurement of the final design. It also provides the short circuit calculation in

(PDF) Busbar Design for High-Power SiC Converters

This paper reviews the latest busbar design methodologies and offers design recommendations for both laminated and PCB-based busbars.

Electrothermal design of DC busbars for fusion facilities

This paper presented specific tools and optimization criteria for the design of the DC busbar of nuclear fusion facilities, using DTT as case study. These tools and criteria included

TPEL2691668

The DC-link capacitor selection is one of the first and most important steps. It not only dictates the bus bar complexity but also is the key to accomplish a high power density prototype. Current density and

Bus-bar Design for Silicon-Carbide based Medium Voltage Full-bridge ...

Most critical aspect in medium voltage device based converter is isolation requirement between positive and negative dc-link bus bars. This paper deals with bus bar design of medium

A Novel Method for Busbar Design of Electric Vehicle Motor Drive

*© 2026 CJC FIBRE CONSULTANTS - All rights reserved*

At present, the DC busbar design is one of the bottlenecks restricting the improvement of the power density of motor drives. Therefore, this paper proposes a three-dimensional line probe

Design Guide for bus bars

In this case, bus bar configuration might be low in profile, thereby changing the orientation of the bus structure and the airflow. Bus bars may also serve to remove heat from components by performing

High Power Multi-layer Molded Busbars: Design Considerations

Impacts on Busbar Designs These overarching trends in power inverters and system integration have significant implications for the design of custom busbars, which provide the power interconnects

Design Guide for bus bars

Impedance In the design of laminated bus bars, you should consider maintaining the impedance at the lowest possible level. This will reduce the transmission of all forms of EMI (electromagnetic

Design Guide for bus bars | Mersen

Impedance In the design of laminated bus bars, you should consider maintaining the impedance at the lowest possible level. This will reduce the transmission of all forms of EMI (electromagnetic

Busbar Current Calculator

Using our online calculator, calculate the maximum continuous current rating for busbars using width, thickness, and material. Determine the allowed current for your busbar dimensions.

Busbar systems

RiLine busbar systems for individual switchgear and controlgear up to 2100 A. Complete solutions for AC or DC applications.

for high current applications

With such high operating current, it is essential that zinc refinery busbar systems are designed correctly, using optimum materials and a robust support structure. MSS Products has many years of

DC Busbar Systems for Reliable Energy Transmission

DC busbar systems are critical for efficient energy transmission in large-scale industrial setups. MSS International''s busbar systems are engineered to handle

*© 2026 CJC FIBRE CONSULTANTS - All rights reserved*

Busbars PS DC_factsheet dd

The entire product line of PS...DC busbars consists of 1- and 2-phase busbars with a pin distance of 17.6 mm and 26.4 mm for universal use, which makes the range ideally suitable for line side wiring of

## Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved