
Reclosing Relay Protection Methods



Overview

Protection operates instantaneously without selectivity, and reclosing is used to restore correct operation. This method is typically applied in radial systems but may increase outage scope.

Key Takeaways

Reclosing is an automatic protection mechanism that restores power after transient faults while isolating permanent faults to maintain system reliability.

Overview of Reclosing

Reclosing is a technique used in power systems to automatically restore circuit operation after a fault occurs. It is particularly effective for transient faults such as lightning strikes, tree contacts, or momentary equipment malfunctions, which often clear themselves without permanent damage. By attempting to reclose the circuit after a short delay, the system minimizes service interruptions and enhances reliability, while permanent faults are isolated to prevent repeated stress on equipment.

Operation Steps

Fault Detection and Trip: Protection relays, such as overcurrent or distance relays, detect abnormal current or voltage and immediately trip the circuit breaker, typically within 20–100 milliseconds. Dead Time Delay: After tripping, a preset delay allows transient conditions to clear. For overhead lines, this is usually 0.

3–1 second, while cable lines may require 1–5 seconds due to higher fault permanence. Reclosing Attempt: The automatic reclosing (ARC) system issues a closing command to the breaker. If the fault has cleared, normal operation resumes.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Multiple attempts (typically 1–3, up to 4 per IEEE standards) may be programmed. Lockout Decision: If the fault persists, the breaker trips again and the ARC locks out further reclosing attempts to prevent equipment damage.

Key Components and Considerations

Reclosers: These are specialized circuit breakers with integrated current and voltage sensors and protection relays, designed to handle rapid open-close cycles. Relay Coordination: Digital or microprocessor-based relays, such as the SEL-551, allow programmable reclosing sequences, coordination with downstream devices, and monitoring of multiple protection elements. System Reliability: Reclosing improves self-healing capability in distribution networks, reducing outages caused by transient faults while maintaining safety for permanent faults.

Standards Compliance: Reclosers and ARC systems follow IEC 62271 and IEEE C37 standards, ensuring consistent operation and safety.

Practical Applications

Reclosing is widely used in urban and rural distribution networks, substations, and medium-voltage systems. It is particularly valuable in overhead lines, where transient faults are common, achieving a success rate of over 80% for restoring power without manual intervention. Modern systems integrate real-time monitoring and analytics to optimize reclosing sequences and predict potential failures, enhancing operational efficiency.

In summary, reclosing in relay protection is a critical mechanism that balances reliability and safety by automatically restoring power after transient faults while preventing repeated stress from permanent faults.

Article Content

What is Auto Recloser: Working Principle, Types

When a power line experiences a fault, after the protective relaying system trips the circuit breaker to clear the fault, the automatic circuit recloser

Automatic Reclosing in Transmission Lines: Principles, Types and ...

Protection operates instantaneously without selectivity, and reclosing is used to restore correct operation. This method is typically applied in radial systems but may increase outage scope.

IEEE Guide for Protective Relay Applications to Transmission Lines

The purpose of this guide is to provide a reference for the selection of relay schemes and to assist less experienced protective relaying engineers in applying protection schemes to transmission lines.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Working Principle and Function of Automatic Reclosing (ANSI 79)

Automatic Reclosing (ARC) is a protection relay in power systems that attempts to reclose a circuit breaker after a fault is cleared, distinguishing between transient faults (e.g., lightning strikes,

AUTOMATIC RECLOSING TRANSMISSION LINE APPLICATIONS

Opening of the air switch may be initiated directly by op-eration of the transformer protective relays, or it may be supervised by a voltage relay so that it opens only after the line is de-energized.

Relay Protection Engineer: Reclosing Schemes in Electric Power

Explore comprehensive insights on reclosing schemes for relay protection engineers in electric power transmission and control.

Power System Protective Relays: Principles & Practices

Abstract: Protective relays and devices have been developed over 100 years ago to provide “last line” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the

Types of Auto Reclosing | Medium Voltage and High Voltage

With instantaneous protection being applied indiscriminate tripping of several circuit breakers is possible but the provision of this Types of Auto Reclosing makes it a selective operation.

C37.113-2015

The purpose of this guide is to provide protection engineers with information that helps them to properly apply relays and other devices to protect three-phase high-voltage transmission lines.

What is Auto Recloser: Working Principle, Types

In the process of single-phase reclosing, to achieve certain protection lockouts and select/fix the fault phase in the logic circuit, a recloser starting

Auto-Reclosing Scheme with Adaptive Dead Time

However, the discrimination between transient fault and permanent fault are contemporary problems in the field of distance protection of

Working Principle and Function of Automatic Reclosing (ANSI 79)

Automatic Reclosing (ARC) Core Function Automatic Reclosing (ARC) is a protection relay in power systems that attempts to reclose a circuit breaker after a fault is cleared, distinguishing

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Automatic Reclosing in Transmission Lines | PDF | Relay

This document discusses automatic reclosing applications for transmission lines. It provides background on the history and fundamentals of automatic reclosing, including that 70-90% of faults are transient.

Automatic Reclosing Modes: Single, Three-Phase & Composite

Three-phase reclosing refers to a method where, regardless of whether a single-phase or phase-to-phase fault occurs on transmission or distribution lines, the protective relay trips all three phases of

Protection System Maintenance Program following NERC PRC-005-6

The North American Electric Reliability Corporation''s (NERC) PRC-005-6 mandates the development and implementation of maintenance programs for protection systems, automatic reclosing, and

A Time-Limited Adaptive Reclosing Method in Active Distribution

To address this, we introduce a time-limited adaptive automatic reclosing (TLAR) method that integrates DERs'' anti-islanding protection (AIP) with automatic reclosing.

C37.113-2015

Information on the concepts of protection of ac transmission lines is presented in this guide. Applications of the concepts to accepted transmission line-protection schemes are also

Adjustable Over Voltage Under Voltage Reclosing 40A

Protective relay with adjustable over/under voltage, 40A/63A, 220V, dual digital display, moulded case, 1 piece per pack, 0.100kg, CNMAWAY, for circuit breaker

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved